

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3421	709/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:21
S2	12	S1 and open near2 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:03
S3	154	S1 and (header routing messag\$5) near5 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:14
S4	171	S1 and (header rout\$5 messag\$5) near5 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:13
S5	25	S4 and (detect\$5 pars\$5 extrac\$6 check\$5 report\$6 stop\$5 spam\$5 determin\$5 identif\$6) near5 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:12
S6	2	S4 and (detect\$5 pars\$5 extrac\$6 check\$5 report\$6 stop\$5 spam\$5 determin\$5 identif\$6 find\$5 locat\$5) near5 open near2 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:14
S7	35	(header routing route transfer\$5 messag\$5) near5 open adj1 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:16
S8	2	S1 and (header routing route transfer\$5 messag\$5) near5 open near2 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:17
S9	3421	709/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:21
S10	52	S9 and (header routing route) near5 (ISP service adj1 provider facilitat\$6 near2 (party entity provid\$5 domain IP address\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:21
S11	25	S10 and (determin\$5 identif\$8 notif\$7 report\$6) near5 (ISP service adj1 provider facilitat\$6 near2 (party entity provid\$5 domain IP address\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:22


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

open relay list check in routing information

Search

[Advanced Search](#)
[Preferences](#)
Web

Results 11 - 20 of about 1,120,000 for open relay list check in routing information. (0.08 seconds)

AAPT Internet Support Information

Configuring MS Exchange Server to avoid **Open Relay ... Routing Information** · FAQ on Multi-homing and BGP · Traceroute to **check** your routing configuration ...

info.connect.com.au/ - 7k - [Cached](#) - [Similar pages](#)

Sponsored Links**[Routing](#)**
[Routing](#)

Start your search here.
[zimply.com](#)

[Bank Routing Numbers](#)

Online Verification, Databases and
 Web Services. Free Trial Access!
[www.lyonsreg.com](#)

[Antispam approaches](#)

Honeypots - Some spammers use **open relays** on the Internet to send their spam on ... These features usually consist of filters that **check** incoming e-mail and ...

[searchnetworking.techtarget.com/](#)

general/0,295582,sid7_gci1078289,00.html - 34k - [Cached](#) - [Similar pages](#)

[.NET Magazine - Ask the Exchange Pros - Eliminate Open-Relay ...](#)

An **open-relay list**, also known as a black-hole list or a realtime black-hole ... As with Exchange 5.5, the best tactic is to **check** the Only the list below ...

[www.ftponline.com/wss/2002_09/ magazine/columns/askthepros/default_pf.aspx](#) - 27k -

[Cached](#) - [Similar pages](#)

[Network Working Group Craig Partridge Request for Comments: 974 ...](#)

It is also possible to cause mail looping because **routing information** is ... to **check** with a host's administrator before adding that host to a list of MXs). ...

[www.sendmail.org/rfc/0974.txt](#) - 19k - [Cached](#) - [Similar pages](#)

[Troubleshooting IP Routing Protocols \(CCIE Professional ...](#)

Understanding **Routing Information** Protocol (RIP). Metric. Timers. ... OSPF Neighbor List Is Empty-Cause: Frame Relay/Dialer Interface Missing the broadcast ...

[www.ciscopress.com/title/1587050196](#) - 62k - Sep 25, 2005 - [Cached](#) - [Similar pages](#)

[Nominum, Inc. :: Open Source Resource](#)

CSNET-RELAY.ARPA). Under domains, one cannot simply **open** a connection to LOKI.BBN. ... It is also possible to cause mail looping because **routing information** ...

[www.nominum.com/popupStandard.php?id=34](#) - 43k - [Cached](#) - [Similar pages](#)

[About Us - Spam Filtering](#)

Open relays are computers on the Internet that are not set up to prevent ... that includes the sender and receiver's address and **routing information**), ...

[www.mweb.com.na/index.php?fSectionId=34](#) - 25k - [Cached](#) - [Similar pages](#)

[Check Point Software: VPN-1/FireWall-1/FloodGate-1 Application ...](#)

Below is a partial list of applications, protocols and services supported by ... OSPF Open Shortest Path First Protocol. RIP **Routing Information** Protocol ...

[www.checkpoint.com/products/ firewall-1/vpn-1_firewall-1_appsupport.html](#) - 71k - Sep 25, 2005 - [Cached](#) - [Similar pages](#)

[Rhodes University](#)

CHECK AN IMAP QUOTA · OVER QUOTA LIST · CHANGE STAFF IMAP/POP PASSWORD ... Prohibit our mail gateways from acting as **open relays**, with the complication that ...

[www.ru.ac.za/itdiv/email/spamstuff.html](#) - 21k - Sep 25, 2005 - [Cached](#) - [Similar pages](#)

What is **open relay**? - A Word Definition From the Webopedia ...

This page describes the term **open relay** and lists other pages on the Web ... For internet.com pages about **open relay** . Also check out the following links! ...

www.webopedia.com/TERM/o/open_relay.html - 47k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

open relay list check in routing infor

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

open relay list check in routing information

Search

[Advanced Search](#)
[Preferences](#)
Web

Results 31 - 40 of about 1,120,000 for open relay list check in routing information. (0.11 seconds)

Stopping Spam Part II

Limiting SMTP access to known blocks of **open** mail **relays** (for example,
 ... Blocking access to known **open relays** via access control lists (ACL's)
 on **routers** ...

www.cnetwork.com/~rhaskins/oct02.html - 18k - [Cached](#) - [Similar pages](#)
Compatible Systems Setup Guides: Frame RelayCompatiView ...

... will **open** a **list** of all the Compatible Systems devices on your network.
 ... Select the 'IP **Routing**' radio button; Select the **check** box for
 'Numbered ...

www.cisco.com/en/US/products/hw/routers/ps4081/products_configuration_example09186a008009425f.shtml - 21k -
[Cached](#) - [Similar pages](#)
Distributed Sender Blackhole List

However, as SMTP **relaying** methods become more and more known and **lists**, ...
Relaying through **open** SMTP servers is still the most abused method of ...

dsbl.org/relay-methods - 26k - [Cached](#) - [Similar pages](#)
IMS Course Catalog

Static Default **Routes**; Sharing Default **Routes**; Default-**Information**; Area Default ... Partial
 - Mesh Frame **Relay** Configuration; Performance Tuning of OSPF ...

www.imsinc.com/course.asp?IMSID=388 - 42k - [Cached](#) - [Similar pages](#)
SUCON'04 - List of Talks

... Gateway Protocol, BGP, is the standard protocol to exchange **routing** **information**. ...
 Now that almost everybody is using **open relay** and **open proxy** **lists**, ...

www.suug.ch/sucon/04/programme_f.html - 52k - Sep 25, 2005 - [Cached](#) - [Similar pages](#)
rickconner.net :: Filtering spam

to filter on addresses or on **routing** **information**; how about filtering on message ... The
 filters can use combinations of block-**lists**, **open-relay** detection, ...

www.rickconner.net/spamweb/filtering.html - 32k - [Cached](#) - [Similar pages](#)
Boulder Community Network, Internet Center, Spam

The **Open Relay** Data Base keeps records on Internet Service Providers who are not
 adhering ... To get more **information** about how to do this, **check** the Usenet ...

bcn.boulder.co.us/inet/inetspam.htm - 30k - [Cached](#) - [Similar pages](#)
Top 75 Network Security Tools

Respondents were allowed to **list** **open** source or commercial tools on any platform. ... DNS
 zone transfer, SMTP **relay** **check**, website search, and more. ...

www.insecure.org/tools.html - [Similar pages](#)
Atrium, Atrium MERCUR Messaging 2005 buy / order a registration at ...

Check **open relay** database by using DNS suffix The **Open Relay** Database ... The number
 of mailing **lists** and members in MERCUR Messaging 2005 are unlimited. ...

www.btsoftware.com/products/mercur.htm - 45k - [Cached](#) - [Similar pages](#)
Review of Vamsoft's Open Relay Filter and Eight DNSBL's

Sponsored Links

Routing
Routing

Start your search here.
zimplify.com

Bank Routing Numbers

Online Verification, Databases and
 Web Services. Free Trial Access!
www.lyonsreg.com

Vamsoft no longer sells the Standard Edition version of **Open Relay Filter**. Just as well, since a major shortcoming was that the DNSBL information was ...
www.bytebrothers.org/OpenRelayFilter.htm - 46k - [Cached](#) - [Similar pages](#)



Result Page: **[Previous](#)** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

open relay list check in routing information

Search

[Advanced Search](#)
[Preferences](#)
Web

Results 51 - 60 of about 1,120,000 for open relay list check in routing information. (0.10 seconds)

Spam Policy and Prevention

1) the mail server being an **open relay** that is in use or could be in use by ... private black list at <http://nexusinternetsolutions.net/spam-check.php>. ...

nexusinternetsolutions.net/spam.html - 15k - [Cached](#) - [Similar pages](#)

[Exim] Open relay?

[Exim] **Open relay?** j2 spamfilter2 at mupp.net ... +local_domains"? yes (end of list) 26875 **check** local_parts = ^[./] : ^.*[!@%] : ^.*[\\.\]. ... www.exim.org/pipermail/exim-users/Week-of-Mon-20040628/073520.html - 22k - [Cached](#) - [Similar pages](#)

Sponsored LinksRouting
Routing

Start your search here.
zimply.com

Bank Routing Numbers

Online Verification, Databases and Web Services. Free Trial Access!
www.lyonsreg.com

United States Patent Application: 0050172213

[0118] The **routing information** 904 **lists** all the **relays** 824 that allegedly ... [0130] A **check** for **open relays** 820 in the **routing information** is performed to ... appft1.uspto.gov/.../udi - 101k - [Cached](#) - [Similar pages](#)

Electrodata Telecom Acronym List, DS0, T1, T3, STS1 SONET, Line ...

telecommunications telecom communications acronym acronyms **list** DS0, T1, T3, ... RFI Radio Frequency Interference RIP **Routing Information** Protocol RLCI ... www.electrodata.com/Acronym.htm - 44k - [Cached](#) - [Similar pages](#)

CompanyV.com - how to send mass email legally - how can you ...

Your email's "From," "To," and **routing information** - including the originating ... by taking advantage of **open relays** or **open proxies** without authorization. ... www.companyv.com/mass-email-requirements.html - 40k - Sep 25, 2005 - [Cached](#) - [Similar pages](#)

RodentNet: ad hoc IP Tools

DNS Dig, mx (Mail **routing information**), a (Host address) ... **Check AOL Open Relay** Database. Source: America Online Mail server IP: ARIN Whois (IP Registry) ... tatumweb.com/iptools.htm - 32k - [Cached](#) - [Similar pages](#)

The Exchange Server Troubleshooter

Exchange Server dynamically recalculates its **routing** rules when someone adds or removes connectors. ... My exchange server has be **listed** as an **open relay**. ... www.windowsitpro.com/MicrosoftExchangeOutlook/Article/ArticleID/5600/5600.html - [Similar pages](#)

[PDF] inside:

File Format: PDF/Adobe Acrobat

Limiting SMTP access to known blocks of **open mail relays** (eg, Korea) ... mail infrastructure, though Sendmail-specific **information** is **listed** within this ... www.usenix.org/publications/login/2002-10/pdfs/haskins.pdf - [Similar pages](#)

abuso.cantv.net : Documents and Policies : General Information

DSBL - Distributed Server Boycott List. ORDB - **Open Relay** Database. Spamhaus - The Spamhaus Project. SORBS - Spam and **Open Relay** Blocking System ... abuso.cantv.net/docs/info - 16k - [Cached](#) - [Similar pages](#)

Spam, Spam, ...Lovely Spam: Campus Technology

If it does, they conclude the source is an **open relay** and block e-mail coming to ... to begin collecting the **lists** of **open relays** to use them as a **check** by ...
www.campus-technology.com/print.asp?ID=7771 - 17k - [Cached](#) - [Similar pages](#)




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google

**Web**Results 1 - 10 of about 120,000 for **open relay list header notify mailer**. (0.47 seconds)Did you mean: open relay list header notify **mail****Open Relay Database - FAQ**

If the ip # is **listed** as an **open relay**, this **header** will be inserted # in the ...
 ... Optionally, we can **notify** you as soon as we discover an **open relay** within ...
www.ordb.org/faq/ - 63k - [Cached](#) - [Similar pages](#)

Welcome to Outlook Exchange

Various RBL **lists** define spam **relay** hosts using different methods. ... (www.ordb.org),
 Automated testing of SMTP server for **open relay** capabilities ...
www.outlookexchange.com/Articles/JohnYoung/article1.asp - 36k - [Cached](#) - [Similar pages](#)

Email

Fast Mailer Pro is an ultra fast subscription-based mass **mailer** used by many ...
 checking mail **headers** for Spam practices, ORDB (**open relay**) and source ...
www.winportal.com/file.asp?ObjectID=3559&Start=201 - 37k - [Cached](#) - [Similar pages](#)

Rhodes University

The problem is with what are known as **open mail relays**, ie mail systems ...
 put the important.com system into their **black list** and **notify** the administrators ...
www.ru.ac.za/itdiv/email/rblfaq.html - 20k - [Cached](#) - [Similar pages](#)

Email - Internet & Networking

The Trojan Bulk **Mailer** sends ultra high-speed mails effectively, completely
 bypassing your ISP's ... Company: **Open Relay List Test Date Released: 24-06-2003** ...
www.programurl.com/internet-networking-email-35.htm - 58k - [Cached](#) - [Similar pages](#)

Articles

Confirming that your server is not **listed** as an **open relay** ... The resulting
MAILER-DAEMON notifications will clog the queue for several days. ...
software.newsforge.com/print.pl?sid=05/05/12/1510200 - 16k - [Cached](#) - [Similar pages](#)

Neohapsis Archives - Incidents list - Re: FW: Postmaster notify ...

... Incidents list / Message Index / Re: FW: Postmaster **notify**: User unknown ...
open relay (returning 550 errors for a domain that you're not a part of, ...
archives.neohapsis.com/archives/incidents/2000-12/0093.html - 10k - [Cached](#) - [Similar pages](#)

Setting up the JANET Mailer Shield

Added **header** lines. On request, the **relays** of the JANET Mailer Shield service
 ... the Dial-up User List (DUL), the Real-time Blackhole List (RBL) and **Open** ...
www.ja.net/services/network-services/mail/mailer-shield/how-it-works.html - 50k - Sep 25, 2005 -
[Cached](#) - [Similar pages](#)

Controlling e-mail spam

Using this routine, you can prevent your **mailer** from being misused that way. ...
 [Microsoft Exchange]: **Open Relay Filter** is a tool that prevents **relaying** ...
spam.abuse.net/adminhelp/mail.shtml - 28k - Sep 25, 2005 - [Cached](#) - [Similar pages](#)


EFF: Noncommercial Email Lists: Collateral Damage in the Fight ...

Noncommercial Email **Lists**: Collateral Damage in the Fight Against Spam ...
despite the fact that **open relays** have legitimate non-spam uses. ...
www.eff.org/wp/?f=SpamCollateralDamage.html - 49k - [Cached](#) - [Similar pages](#)

Did you mean to search for: [open relay list header notify **mail**](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)




Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google

**Web**

Results 11 - 20 of about 120,000 for open relay list header notify mailer. (0.11 seconds)

JANET Mailer Shield Service Appendix B

RSS: The **Relay** Spam Stoppers list. OPS: The **Open** Proxy Stopper list. ... Any spam which scores 7 or less should be sent here with full **headers** and body text ...

www.ja.net/services/network-services/mail/mailer-shield/spam-tagging.html - 42k - Sep 25, 2005 -

[Cached](#) - [Similar pages](#)

[[More results from www.ja.net](#)]

Preventing relaying in Netscape Messaging Server

This **header** appears ONLY if the user's password has # been successfully ...

the MAPS Dial-Up List (DUL), the MAPS **Relay** Spam Stopper, and the **Open Relay** ...

www2.tsc.com/~bobp/nms-no-relay.html - 33k - [Cached](#) - [Similar pages](#)

Re: Zmailer accepts mail from <> (empty address) - causes problems

<rogbabb@ix.netcom.com> (reason: 550 Dialups/**open relays** blocked. ... Parse error in envelope, before checking that **NOTIFY=NEVER**. Must tell **mailer-daemon**. ...

www.zmailer.org/mhalist/2002/msg00873.html - 8k - [Cached](#) - [Similar pages](#)

SamSpade.org

In the case of an email request this would be the **headers** of the original ...

Aggressive, automatically maintained list of **open relays**, closed **relays** which ...

www.samspace.org/d/nanaefaq.html - 29k - [Cached](#) - [Similar pages](#)

Stopping Spam and Malware with Open Source

Unlike most other databases that list **open relays**, the MAPS RSS only lists hosts

... However, the RFC 822 From: **header** and envelope MAIL FROM: address, ...

www.brettglass.com/spam/paper.html - 104k - [Cached](#) - [Similar pages](#)

ZyTrax Security - Mail Servers

We **relay** mail only for our own logged in (authenticated) customers and for ...

ORDB Black List · SPF Registration · mail-abuse.org · **OPEN RELAY TEST** ...

www.zytrax.com/security/mail_service.htm - 18k - [Cached](#) - [Similar pages](#)

CommuniGate Pro Server: Message Transfer

To specify the Queue processing options, **open** the Queue page in the Settings ...

The Hop Counter is the number of Received: **header** fields in the message. ...

<https://mx2.arl.org/Guide/Transfer.html> - 27k - [Cached](#) - [Similar pages](#)

Linux Online's Linux Course for Intermediate Level Users

I have seen cases where people have forged IP addresses in mail **headers** to ...

The **Open Relay** Database - ordb.org is a well-known, free list of **open relays**. ...

www.linux.org/lessons/interm/x1873.html - [Similar pages](#)

The SpamBouncer: Variables Reference

+AHBLRELAYCHECK, Enables support for the AHBL **open** SMTP **relays** blocklist. no ...

+BLOCKREPLY, Tells the SpamBouncer whether you want to **notify** senders when ...

www.spambouncer.org/reference/variables.shtml - 74k - [Cached](#) - [Similar pages](#)

SBC Yahoo! Help

As a bulk **mailer**, what can I do to ensure that my email goes to the right folder?

... **Open proxies, open relays, broken formmail scripts, and other insecure ...**

help.yahoo.com/help/us/sbc/mail/spam/spam-17.html - 16k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results **51 - 60** of about **120,000** for **open relay list header notify mailer**. (0.12 seconds)

What's new in sendmail 8.8?

I will further comment this **list**, as soon as I've tried these features, ...
 DSN Delivery status **notification** can now be requested via command line ...
www.sendmail.org/~ca/email/sm8.8.new.html - 10k - [Cached](#) - [Similar pages](#)

amavisd-new

amavisd-new is a high-performance and reliable interface between **mailer** (MTA) and one ... This means the per-recipient handling of mail **relaying** and **header** ...
www.ijs.si/software/amavisd/ - 90k - Sep 25, 2005 - [Cached](#) - [Similar pages](#)

EcoFuture resources on junk email (junk mail) and spam

Cracking Forged **Headers**; Spam Combat; Fraud; E-mail Filtering and **lists** of ...
 ORBS **lists** **open relay** servers even if spam hasn't yet been sent through them. ...
www.ecofuture.org/jmemail.html - 49k - [Cached](#) - [Similar pages](#)

[PDF] CONFIDENTIAL DRAFT

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 by EFF in 2003 revealed that many organizations with large email **lists**, ...
 servers to hide their identities, despite the fact that **open relays** have ...
www.eff.org/wp/SpamCollateralDamage.pdf - [Similar pages](#)

Delivery Status Notification (Failure)

This is an automatically generated Delivery Status **Notification**. ... Received via a **relay** in **list.dsbl.org** [RBL check: found 2.187.251.61.**list.dsbl.org**] ...
lists.gnu.org/archive/html/help-awacs/2003-02/msg00006.html - 13k - [Cached](#) - [Similar pages](#)

#ident "@(#)smail:\$Id: ToDo.v 1.126 2005/09/06 19:52:38 woods Exp ...

This raises the question of addresses from the BCC **header** ending up in the ...
 be used to block even command-line users from sending to a known **open relay**. ...
www.weird.com/~woods/projects/smail.ToDo.txt - 62k - [Cached](#) - [Similar pages](#)

Qmail Configuration - H-Sphere Sysadmin Guide - Positive Software ...

Default: **MAILER-DAEMON**; bouncehost: the host of a bounce message ... is taken and the default **notification** (Default.) shows up in the configuration **list**. ...
www.psoft.net/HSdocumentation/sysadmin/qmail_configuration.html - 45k - [Cached](#) - [Similar pages](#)

Smtp Software

Along with a mass **mailer** the program can be used as a **relay** server for sending ...
 ... **Lists** **Save Attachments** **SMTP Auth** **Mail-Merge** **Filtering** **Headers** **Mailbox** ...
www.programurl.com/software/smtp7.htm - 81k - [Cached](#) - [Similar pages](#)

Canada Web Hosting: Acceptable Use Policy

Upon detection or **notification** of an alleged violation of the Policy and prior ... a publicly-accessible "**open relay**" SMTP or anonymous re-mailer service. ...
www.canadawebhosting.com/proactive_support/aup.asp - 25k - [Cached](#) - [Similar pages](#)

[PDF] Blocking Spammers with DNS Blacklists Blocking Spammers with DNS ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Open-relay **lists** are extremely popular forms of DNSBLs. ... A registered SpamCop